





INDEX

The company introduction

CINEMA SERIES
Reference Speakers 07
M8 Speakers 09
M6 Speakers 11
S Speakers 14

HOME SERIES
M5 Speakers 17
M3 Speakers 19
i Speakers 21

25 CUSTOM SERIES
E Speakers 25
Outdoor Speakers 27

M Series 31

55 STUDIO SERIES
T Speakers 37

SMART SERIES
Bluetooth devices 41

Technical specifications

ARCHITECTS OF SOUND

CONCEPT

Uandksound has a strong sense of commitment with its acoustic and visual esthetics design. Naturally, their technical reliability and value are beyond our motto. Even the most innovative design is constantly improving so that Uandksound builds progress into every product investing the effort to satisfy even the most discerning customer. That being so, we only offer the latest in audio technology for long term enjoyment.

We do not produce cheap loudspeakers and certainly we do not offer a poor sound. Fortunately, many thousands of audiophiles worldwide agree with our philosophy.

Uandksound designs are easily integrated into your living room. Their full enjoyment should not require a complex installation. Either to watch a movie or listening to your favorite singer, Uandksound brings to you an extensive catalog where young or elderly audio enthusiast can find the most suitable solution according to their preferences and possibilities without issue or compromise.

WHAT MAKES US DIFFERENT

There are many companies manufacturing great loudspeakers, but Uandksound is the sole company designing and manufacturing an innovative line of high-end cinema and custom loudspeakers among others. We don't design our products as others, Uandksound offers individual unique solutions to the problem of seamlessly integrating high-quality sound into the living environment. Uandksound products are virtually perfect for any application so that you should not complicate your mind to settle for another loudspeakers, that's one reason for choosing Uandksound, the best reference loudspeakers on the market will not make you happy unless the system is properly conceived, designed, installed, and explained. This is why Uandksound works with the best worldwide distributors, some of them CEDIA members, offering exemplary factory support. You can be completely sure that the best experience will be grant for a long time after the sale.

Only settle for the best! Uandksound is by far the best option to enjoy the most impressive sound for years without having to think about anything else to enjoy.

DESIGN

"Loudspeaker as an integral part of the environment"

A loudspeaker carries out the dual function of musical source and item of furniture in your home environment. Uandksound design complies with conceptual style. It is the result of a continued integration between acoustic design and visual harmony. Just where the style and design imposed also define acoustic identity, or like a design element whose aesthetic value is judged by its coherence with its function.

The loudspeaker cabinet is of such fundamental importance that we drew inspiration from the construction concepts of some well known stringed instruments. This is how Uandksound loudspeakers achieve their pure, natural and definitive acoustic timbre.



TECHNOLOGY

Investment in cutting-edge technology is our way to succeed. Before assembling the components are carefully selected and only those conforming to tightly defined tolerances are ultimately processed. The same care and attention is dedicated to the production of the crossover network, which along with the loudspeakers, is of fundamental importance to the quality of the diffusers.

Our extensive listening tests are a crucial part of the manufacturing process before each speaker and electronic are burned-in and thoroughly measured for several days. Uandksound products advance to the final manufacturing step only if the measurements show no deviation. At the end, skilled, well trained ears test every component to ensure that everything is up to Uandksound standards.

STYRENE RUBBER BOUNDARY

By using the latest styrene-butadiene rubber (SBR) process to give you the best in reflex presentation and balance in all measurement without overload or malfunction. The width of the rubber edge is carefully designed to give flexible dimension. It would not pull the drive in rapid motion not under load in slower motion. This will also avoid transmitting the reversed phase of sound waves thus generating any acoustic wave interference. By using the double R analysis double ring, this will achieve it's functionality without compromise.

CONE

The traditional low cone used today had already given a good sound quality, yet Uandksound had designed methods and materials to give you even greater sound effect. We use significant materials to design the cone, thus achieving the best steel effect to produce greater efficiency. Uandksound's middle unit took full advantage of welding the shell section to give you a greater penetrating and delicate sound.

COIL TUBE

The three usual materials used, KSV, TIL and ASV, produce different sound effect, yet they all act to assist the control and balance of the speaker. Because Uandksound wanted a unique sound quality, we adapt the combination of the coil tube and cone to give you the best possible design in demand.

WAVELENGTH

Uandksound uses the best elasticated conex to form the master wavelength by combining the high heat formula process. This would give you the elasticity require, and by using the R and triangular designs in support, the movement of the speaker is not compromised.

SPEAKER SHELL

- · We use ladder effect design for all our speakers, thus wide at the front and narrow at rear. This design will reduce sonic repercussion and diffraction. This will give the speaker more clearer and detailed sound.
- Thinner wall layer not just give the speaker greater atmospheric compression, but also more dynamic driving force, and to give the speaker more transient effect at the same time.

CROSSOVER

- · Using 12dB in design as well as implementing middle and high frequency impedance compensation process to balance the sound effect.
- \cdot To give an accurate spread of all different areas in the speaker, and using the best quality component in tune to produce the best sound field.



03

CINEMA SERIES

Reference Speakers M8 Speakers M6 Speakers S Speakers



CINEMA

Reference Speakers

Designed for success

The culmination of the most innovative design is presented with Reference Series; the result of a long technical research project in collaboration with expert sound engineers from the film industry. Only they really know how the sound is in a movie, now our challenge is to transport the original sound to your home in the most perfect way thanks to the wisdom of our engineers and technical components of the highest quality.

We could start by referring to the high-density loudspeakers enclosure thanks to which we have obtained an improved dynamic performance that translates us into an extended frequency response to meet THX standards. The powerful woofer equipped with an oversized magnet is the key element of the bass unit to bring exceptional impact to the most demanding recordings.

On the other hand, the horn tweeter configuration in the same plane presents a more precise sound directionality to locate the sound scene in greater detail, either in the main channels as well as in the effects channels. The Reference Series modular configuration has been developed to allow easy placement behind large projection screens. In this way, greater integration with all the room environments is very valuable for the most advanced audiovisual engineers.

I've tried many high-end speakers over the years, they all sounded really good, but Uandksound Reference Series are different from the rest because only allows us to focus on what really matters, the sound.

Sound architects

It is not easy to find a design that identifies us, but we do not like to be the same as the competition. All our loudspeakers have been created to be an integral part of the home decoration and it is so when Uandksound was born with the aim of reliving the experience of feeling like one more protagonist of the seventh art hand in hand with the best sound experience. Commercial movie theaters have undergone continuous technical improvement in recent years besides recordings media. However, there is no doubt that everything can be improved and that is where Uandksound is positioned.

The last six years we have designed high-performance loudspeakers easily integrated with all kinds of environments and decoration projects such as the successful M6 Series, but in our quest to seek perfection and integrate the best technology, design and quality, we have advanced one step further in perfection.

For us, perfection can only be defined in one way, reference, understood as the example to be followed by others to be the best. Having our own identity is achieved through the most

advanced designs developed jointly with the greatest integration experts. Every corner, curve and detail of the loudspeaker is meticulously studied to combine the pieces of the Uandksound DNA with one another in harmony and color. Perfection and elegance are the hallmarks that make it a benchmark for other brands that work on a unique and unrepeatable design.









CINEMA

M8 Speakers

State of art redefined

After intensive studies Uandksound has completed a new step to renew its flagship reference models. As previous, M8 Series components are carefully selected and only those conforming to tightly defined tolerances are ultimately processed. The same care and attention is dedicated to the production of the crossover network, which along with the loudspeakers, is of fundamental importance to the quality of the diffusers.

All models are three-way design. Its separate low, medium and treble use 12dB/OCT divider, thus making the sound more clean, more precise in positioning specially thanks to the new developed tweeter. Some Uandksound tweeters use now Air Motion Transformer Technology to make the sound leap forward. A new extra slim body cabinet for M850-N is redesigned to be adapted to whatever custom installation. With carefully we have selected our components, and by using high quality speaker units, therefore given more expressive sound.

The power of the new M1500-N subwoofer has been improved. With its unique 1200W output power our new subwoofer will gives out a true and immersive experience. The subwoofer is also equipped with class D amplifier besides EQ room regulation and can be placed randomly.

Our extensive listening tests are a crucial part of the manufacturing process before each speaker and electronic are burned-in and thoroughly measured for several days. M8 Series advance to the final manufacturing step only if the measurements show no deviation.



CINEMA SERIES

M6 Speakers

Slim as motto!

Following the similar concept as M8 Series, the new M6 Series can be wall mounted or flush to the wall because Uandksound has recently redesigned a new extra slim body cabinet for being adapted to complex custom installation.

Our main innovation to perform the best sound is the introduction of our last Air Motion tweeter. More precise and clean high frequencies are highly appreciated so that M6 Series have a strong sense of commitment with its acoustic and visual esthetic design. Naturally, their technical reliability and value are beyond our motto. Even the most innovative design is constantly improving so that Uandksound builds progress into every product investing effort to satisfy even the most discerning customers. That being so, M6 Series only offer the latest in audio technology for long term enjoyment.

M6 Series design is easily integrated into your living room. Their full enjoyment should not require a complex installation. Either to watch a movie or listening to your favourite singer, Uandksound brings to you an extensive catalog where young or elderly audio enthusiast can find the most suitable solution according to their preferences and possibilities without issue or compromise thanks to best value for money features.



SERIES S Speakers

The pinnacle of high-performance audio

Key to their sophisticated sound is an advanced crossover network. Each loudspeaker crossover is built with the highest-quality components. Internals including massive air-core coils, thick, high-purity copper wire, and low-distortion capacitors ensure that every nuance of the audio signal is preserved.

Designed to excel in a wide variety of sound reinforcement applications, the full range S Series are compact wall mount loudspeaker that provides inspiring acoustic performance with exceptional clarity and articulation. Manufactured to the highest standards of quality, these products are available through authorized specialty custom installation specialists and carry the full Uandksound warranty.

Critical to architectural products is their ease of installation. The S Series continues Uandksound tradition of innovating engineering solutions which allow custom retailers to quickly and easily install their products. Each model features premium MDF enclosure and an extremely robust mounting-lock system that couples with the speaker's rigid chassis when installed. S series models allow installers to complete horizontal or vertical installation.

The standard finish for this product is black matte



HOME SERIES

M5 Speakers M3 Speakers i Speakers





HOME

M5 Speakers

Beautiful design is the meaning of perfection

There is no greater comfort than sitting on the sofa to watch a movie or listening music of the most relaxed way. We are constantly working to provide the best listening experience and create the same feeling of a live musical or film performance. Uandksound knows the importance of feeling good at home surrounded by a pleasant environment where everything maintains an aesthetic coherence. We have always keen on to design products with a double function, functional and aesthetic.

Fashions change and adapting to them is very important, for this reason we have worked on the new M5 series, an evolution of the successful M3, but adapted to more discerning domestic environments where not only aesthetics prevails also an avantgarde sound prepared to reproduce high-resolution audio from the best films and music recordings. M5 Series are engineered with great care to integrate their visual presence in your interior.

The result is a refined entertainment experience without disrupting the beauty of your surroundings. All our products and components are proudly designed in Europe and our skilled and well trained engineers test every component carefully.

Audiophile Performance

The new internals for the M5 series include an improved crossover that provides excellent linear response through a high-density structured cabinet to get an outstanding dynamic range, especially for home theater applications. Our renowned Air Motion ribbon tweeter is already implemented in many of our loudspeakers like M5 series. A more defined response and extended high frequency is only achieved with the most advanced components.

The internal structure of M5 Series has been developed in such a way that parallel surfaces are avoided inside to achieve a better sound diffraction and offering less distortion with high sound pressure levels.

M5 Series family consists of front, center and surround channels, also a dedicated active subwoofer. All this makes this equipment the perfect fashion loudspeakers solution to enjoy the best sound at home without the need of complex installations. Our timeless design will be the best warranty to enjoy the best sound in harmony without disrupting your home decoration for a long time.





M3 Speakers

Enjoyment for all the family

Modern, concise and truly integrated and styled into your family living room. Experience the true cinematic effect. Their cabinet, heavy and rigid, provides excellent inertia to minimize vibrations. In terms of audio performance Uandksound loudspeakers have coherence between the different timbres as well as a homogeneous restitution of the different registers without undue emphasis on bass, midrange or treble. The M3 Series loudspeakers are balanced, well-defined and dynamic.

Our intention is to bring to your home the maximum enjoyment of the art in its fullest measure. Each Uandksound design has been developed with one goal in mind: to offer the highest harmony inside your home environment as well as transmitting

the purest audio fidelity. The M3 Series loudspeakers are designed to offer impeccable audio performance while integrating harmoniously into your home decor. For even more depth, they can be combined with the subwoofer M800II.

At the end, skilled, well trained ears test each component to ensure that everything is up to Uandksound standards. As a result, our affordable M3 Series are capable of reviving your lost emotions without leaving your home.



HOME SERIES i Speakers

All in one!

Innovation is in continous progress because of new fashions. iOS and Android devices are very present in our lives, at the same time as our favourite music. uandksound has developed the new iSeries Bluetooth loudspeakers to allow you to listening music of the most enjoyable and easier way.

i5 loudspeakers Series share the same technology of the most powerful unit, i6 Series, while keep the similar design in a smaller cabinet without compromising the best bass response and reliable wireless transmission. Meanwhile, Bluetooth technology offers an easy integration fulfilling the wireless standard.

Uandksound iSeries Bluetooth loudspeakers integrate a dedicate control remote to control its functions and select different audio inputs. Now you can already share the music of your mobile phone besides other devices and enjoy your music out loud, with family and friends, in every room of your house.

If you are looking for the best value for money option, the ultimate stylish design and getting the most impressive sound performance i5 and i6 Bluetooth loudspeakers Series are the best choice. Simplicity and reliability will delight all your family.

CUSTOM SERIES

e Speakers Outdoor Speakers



CUSTOM SERIES

E Speakers

The sound of invisibility

Our new E Series features allow Uandksound a new standard in acoustical performance to in-wall and in-ceiling applications. Designed for those seeking the world's most articulate and dynamic multi-channel home theater systems, or simply a stealthy 2-channel system, the E Series speakers are voice and timbre matched with one another, as well as the rest of the Uandksound products.

All models feature an ultra-low profile, micro perforated grille, which are also paintable for a near invisible integration into any wall or ceiling. Grills firmly attached with neodymium magnets. E Series also include extra wide threaded screws for quick dog leg fastening. A magnetic system secures grilles easily into place, reducing the risk of warping or damage during installation.

Some of the key features are the following; Smooth Visual Flangeless System, PRX™ Poly Resin CrossPoint Molds, PRX™ dog legs, Never Rust™ grills firmly attached with neodymium magnets besides extra wide threaded screws for quick installation and push gold plated binding posts.









Outdoor Speakers

Optimised for installation

CHIME

Uandksound outdoor loudspeakers have been designed to blend in to outdoor environments. Available in white/black or green finishes the look of these loudspeakers will compliment landscaping designs and disappear into their surroundings. Each loudspeaker cabinet houses two drivers set at precise angles so you experience consistent stereo effects as you move around outdoors. Once mounted, the loudspeaker can be easily pivoted to direct the sound where you want it, and they will stay where you position them and not droop or slip over time.

Our loudspeakers utilize a durable weather-resistant construction that is built to withstand the harshest outdoor environments for a long time. Most discerning customers will appreciate the engineered construction for high-humidity ready to survive extreme temperatures while maintaining superior sound quality. Uandksound loudspeakers feature internal wire connections to eliminate corrosion caused by moisture and to prevent damage from garden tools. Moreover Uandksound offers an associated balanced power amplifier VTA-240F II to get the best sound performance of each loudspeaker under the hardest environmental conditions.

You can enjoy clear, natural sound from an outside loudspeaker enclosure that easily mounts to walls in your deck, garden or pool area.





CH1

SERIES

M2300 | M7300 M4500D | M7300D





M SERIES M2300 / M7300

Impressive is an understatement!

uandksoud

M7300 uses category A line, having no crossover distortion, therefore the entire frequency range can be at very low level, especially at high frequency level. The sound quality of this unit is meticulously precise, especially the pure DC coupling, through the input of the amplifier and the design phase output. All these in combination will give you a real and live hearing experience.

The circuit of both professional power amplifiers is fully balanced, and all components are also chosen carefully throughout. The noise level can be as low as -105dB, up to a dynamic range of 120dB, therefore we can deemed this as a non-destructive amplified power amp. When in use, the audio signal in the speaker can hardly be heard.

Each channel is equipped with a separate transformer and power supply circuit, ensuring a high degree of separation and avoiding any crosstalk between respective channels throughout the frequency range, even up to or more than 80dB.

String sound level is also lower than most general background noise amplifier. Regardless of the cost of construction, we deemed to eliminate the problem of any multi-channel ground loop noise arising from the exchange section so that the users can experience the real audio and visual effects.

With exceptional clarity and dynamics, the M7300 and M2300 Series can create a huge soundstage that is almost holographic in its width and depth. From the most intimate acoustic recording to full-scale orchestral works, the performance is perfectly placed and never feels limited.

Combine our multichannel power amplifier with the M2300 Series and you will get an awesome combination ready to set up any complex home theater configuration.





MI SERIES M4500D / M7300D

Effortlessly controls any loudspeaker

Our new class D power amplifiers represent the best in engineering ingenuity and available electronic components. With an extremely high damping factor and the ability to deliver huge currents the class D technology effortlessly controls any loudspeaker being the best partner for our flagship Reference Series. 750 watts for channel for M4500D and 300 watts for M7300D, with bridgeable option just for M4500D, guarantees the best sound performance of the market. Even loudspeakers with very low impedance are no match for the unflappable power supply of our power amplifiers.

Perfect for any setup

M4500D power amplifier can function in a traditional stereo or multichannel setup because of the bridgeable option. If you connected device has a 12V trigger output, this can control the power state of the M4500D and M7300D, and even daisy-chain several M4500D or M7300D power amplifiers for complex installations.

Benefits of true digital amplification

M4500D and M7300D are not a typical class D power amplifier. Our technology is much better, high current output of discrete MOSFETs with the efficiency of class D. The units have very low distorsion and an excellent signal to noise ratio, making them the perfect amplifier on the market.

Uandksound solution offers noiseless and clear replay at all sound levels. The digital signal drives the loudspeakers directly, with no translation and no middleman offering a digital to analog conversion virtually perfect for the most demanded audiophiles. The result is a level of effortless power and advanced processing not available from any other manufacturer. You can be sure that our technology will deliver the most enjoyable and neutral sound you have ever experienced.





STUDIO SERIES

T4 Speakers T6 Speakers T10 Speakers

illi uandksoud

STUDIO SERIES

T4 | T6 | T10 Speakers

Listening enjoyment

uonaksouna (*)

At Uandksound, our focus has always been to make the most accurate studio monitors available at any price. So when you use a T Series powered monitor, you can be confident of getting the most accurate reproduction of your mix. Our careful design of dome and waveguide geometry coupled to the curved front baffle are optimized for on and off-axis linearity resulting in excellent imaging and a wider sweet spot.

T Series diffraction-limiting curved surfaces, silk-domed tweeter, seamless crossover, and Uandksound trademark yellow

Kevlar woofer brings superior audio imaging, outstanding transient response, and amazing detail. Uandksound has mastered the art of recording monitors, and the T Series is the culmination of this art.

Listen for yourself, and believe!





SMART SERIES

London Headphones Oxford Earphones



SMART SERIES

London Headphones

Feel the music soul!

Uandksound aims to redefine the world of Bluetooth headphones with the new LONDON ANC-HD200. Our headphones drivers are carefully selected for clear and balanced audio whether you are in a quiet office or busy street. Moreover, our first class ANC (double fed active noise cancellation) technology offers the most astonishing sound at any volumen without distorsion so that you can focus on what really matters to you. HiFi sound with rich bass and treble is achieved with the extended frequency response engineered by our team.

Our headphones long battery life up to 40 hours is very helpful if you are outside home for a long time as well as the Bluetooth ON/OFF function if you prefer to connect your LONDON

ANC-HD200 headphones through the 3.5 mm audio input jack. Also the micro USB charging port allows you to charge the headphones easily at any time where you want, moreover its built in voice recognition technology offers the most reliable features.

LONDON ANC-HD200 headphones memory foam earpads bring you the most confortable experience while you are listening music as well as you can easily fold them in a carrying had included

Enjoy your favourite music never was so pleasant.





40

SMART SERIES

Oxford Earphones

Freedom without limitations!

Enjoy your favourite music never was so easy and simple. Uandksound and its engineers have been working hard to achieve the best sound performance inherit from the professional headphones to transmit it to the earphones for domestic use.

One of the main features that highlights OXFORD ANC-HD100 earphones is the active noise cancellation system. A really appreciated feature if we use earphones in the street or noisy environments. On the other hand, Uandksound applies Stereo True Wireless technology to its new Smart Bluetooth Earphones, which allows to transfer the two stereo audio channels independently through the latest Bluetooth 5.1 generation system.

Earphones improved autonomy up to 7 hours and the travelling case, which in addition to transport our earphones safely, also allow us to charge OXFORD ANC-HD100 earphones in a very simple way and fast until four times to extend the battery life more than 28 hours. Finally, highlight the touch control system that assures us the greatest comfort to enjoy the best sound experience by Uandksound.







TECHNICAL SPECIFICATIONS

CINEMA SERIES

Reference Speakers M8 Speakers M6 Speakers S Speakers

HOME SERIES

M5 Speakers M3 Speakers i Speakers

CUSTOM SERIES

E Speakers Outdoor Speakers

M SERIES

M Series

STUDIO SERIES

T Speakers

SMART SERIES

Bluetooth devices



CINEMA SERIES

Reference Speakers



CINEMA SERIES M8 Speakers



M1200LCR

IMPEDANCE	8 OH
FREQ. RESPONSE	45Hz-20kH
POWER AMP	500-1000\
SPL	97 dB +/- 1.5 d
WOOFER SIZE	1x12
WOOFER TYPE	Coated pape
TWEETER TYPE	Hor
SOUND ADJUSTMENT	Ye
SIZE	430 x 1038 x 380 mr
ENCLOSURE	Bass reflex/MD
WEIGHT	33.15 k
COLOUR	Black Yarn Pair



M8005R

IMPEDANCE	8 OHM
FREQ. RESPONSE	70Hz-20kHz
POWER AMP	450-900W
SPL	95 dB +/- 1.5 dB
WOOFER SIZE	2x8"
WOOFER TYPE	Coated paper
TWEETER TYPE	Horn
SOUND ADJUSTMENT	Yes
SIZE	508 x 526 x 200 mm
ENCLOSURE	Closed/MDF
WEIGHT	22.35 kg
COLOUR	Black Yarn Paint



M850 N

IMPEDANCE	4 OHM
FREQ. RESPONSE	45Hz-22kHz
POWER	300-600W
SPL	90 dB +/- 1.5 dB
WOOFER SIZE	2x4"/2x8"
SIZE	807 x 135 x 273 mm
WEIGHT	15,3 kg
COLOUR	Satin black



M820 IW

PEDANCE	4 OHN
EQ. RESPONSE	45Hz-22kH;
OWER	160-320V
L	88 dB +/- 1.5 dE
OOFER SIZE	1x4"/1x8
ZE	472 x 130 x 289 mm
EIGHT	10,5 kg
DLOUR	Satin black



M18005W

IMPEDANCE	8 OHM
FREQ. RESPONSE	25-500Hz
POWER AMP	800-1600W
SPL	97 dB +/- 1.5 dB
WOOFER SIZE	1x18"
WOOFER TYPE	Coated paper
SIZE	1038 x 545 x 380 mm
ENCLOSURE	Bass reflex/MDF
WEIGHT	42.31 kg
COLOUR	Black Yarn Paint



M1500 N

FREQ. RESPONSE	20Hz-250Hz
WOOFER TYPE	cCoated pape
WOOFER SIZE	1x15"/38,1cm
POWER	1200W class E
ENCLOSURE	MDF materia
SIZE	482 x 557 x 480 mm
WEIGHT	44,5 kg
COLOUR	Black matte

black

WWW.UANDKSOUND.COM

TECHNICAL SPECIFICATIONS

CINEMA SERIES

M6 Speakers







M620 N

IMPEDANCE 4 OHM FREQ. RESPONSE 45Hz-22kHz POWER 160-320W SPL 88 dB +/- 1.5 dB WOOFER SIZE 2x4"/2x6.5" SIZE 708 X 120 X 260 mm WEIGHT 9,7 kg COLOUR Satin black



M610 N

IMPEDANCE E4 OHM FREQ. RESPONSE 55Hz-22kHz POWER 160-320W 88 dB +/- 1.5 dB 1x4"/1x6.5" **WOOFER SIZE** SIZE 411.5 X 130 X 260 mm WEIGHT 6,0 kg COLOUR Satin black



S6 I

IMPEDANCE 4 OHM FREQ. RESPONSE 55Hz-22kHz POWER AMP 80-160W 89 dB +/- 1.5 dB WOOFER SIZE 2x6-1/2" **WOOFER TYPE** P830657 x2 1"/25mm TWEETER SIZE TWEETER TYPE XT25TG30-04 x1 SIZE 286 X 560 X 107 mm ENCLOSURE Closed/MDF WEIGHT 7,5 kg COLOUR Black matte



56 II

IMPEDANCE 4 OHM FREQ. RESPONSE 45Hz-22kHz POWER AMP 160-320W 91 dB +/- 1.5 dB **WOOFER SIZE** 2x6-1/2" WOOFER TYPE P830657 x4 TWEETER TYPE XT25TG30-04 x1 SIZE 286 X 890 X 107 mm **ENCLOSURE** closed/MDF 49 WEIGHT 12 kg COLOUR Black matte



M600 IW

IMPEDANCE 4 OHM FREQ. RESPONSE 70Hz-20kHz POWER 80-160W 87 dB +/- 1.5 dB **WOOFER SIZE** 1x6.5" SIZE 327 X 93 X 276 mm WEIGHT 5,1 kg COLOUR Satin black



M610 IW

IMPEDANCE 4 OHM FREQ. RESPONSE 45Hz-22kHz POWER 160-320W 88 dB +/- 1.5 dB **WOOFER SIZE** 1 x4"/1x6.5"/ SIZE 443 X 130 X 276 mm WEIGHT 7,3 kg COLOUR Satin black



512001

FREQ. RESPONSE 25Hz-250Hz WOOFER TYPE coated paper **WOOFER SIZE** 12"/30cm POWER 1200W class AB ENCLOSURE SIZE 480 X 995 X 250 mm WEIGHT 46,5 kg COLOUR Black matte



M1200 N

FREQ. RESPONSE 30Hz-250Hz WOOFER TYPE Coated paper **WOOFER SIZE** 12"/30cm POWER 1200W class D **ENCLOSURE** MDF material SIZE 400 X 478 X 420 mm WEIGHT 30,27 kg COLOUR Black matte

WWW.UANDKSOUND.COM

WWW.UANDKSOUND.COM

MDF material

HOME SERIES

M5 Speakers



HOME SERIES M3 Speakers





M520 LR

IMPEDANCE 4 OHM FREQ. RESPONSE 40Hz-22kHz POWER 80-160W 88 dB +/- 1.5 dB **WOOFER SIZE** 2x4" 900 X 190 X 253 mm WEIGHT 10.45 kg COLOUR White gloss



M500 SR

IMPEDANCE FREQ. RESPONSE 60Hz-22kHz POWER 80-120W SPL 87 dB +/- 1.5 dB **WOOFER SIZE** SIZE 269 X 190 X 120 mm WEIGHT 3.22 kg COLOUR White gloss



M310

IMPEDANCE 4 OHM FREQUENCY RANGE 70-22000 Hz POWER 60-120W 87 dB +/- 1.5 dB SIZE 178 x 173 x 100 mm WEIGHT 2,07 kg COLOUR White



M800 II

IMPEDANCE 4 OHM FREQUENCY RANGE 40-250 Hz POWER 200W INPUT VOLTAGE 120 / 230 V SIZE 500 x 330 x 180 mm WEIGHT 12,61 kg COLOUR White

51



M1000 SW

40-250Hz Coated paper 400W bass reflex/MDF 324 X 363 X 324 mm 13.53 kg White gloss



M530 C

IMPEDANCE 4 OHM FREQ. RESPONSE 50Hz-22kHz POWER 80-160W SPL 88 dB +/- 1.5 dB **WOOFER SIZE** 2x4" SIZE 495 X 190 X 180 mm WEIGHT 5.9 kg COLOUR White gloss



M320

IMPEDANCE 4 OHM FREQUENCY RANGE 60-22000 Hz 80-160W POWER SPL 87 dB +/- 1.5 dB SIZE 178 x 315 x 100 mm WEIGHT 4,28 kg COLOUR



M330

IMPEDANCE 4 OHM FREQUENCY RANGE 60-22000 Hz POWER 80-160W 89 dB +/- 1.5 dB SIZE 500 x 173 x 100 mm WEIGHT 4,82 kg COLOUR



WWW.UANDKSOUND.COM

WWW.UANDKSOUND.COM

TECHNICAL SPECIFICATIONS

CUSTOM SERIES E Speakers



i6

HOME SERIES

i Speakers

IMPEDANCE 4 OHM FREQUENCY RANGE 45-22000 Hz POWER 200W SPL 88 SPL SIZE 232 x 232 x 814 mm WEIGHT 32,3 kg (pair) CONNECT, MODE Bluetooth, Aux, Coaxial TRANSMISSION MODE 5.8 G REMOTE CONTROL Yes COLOUR White



i5

IMPEDANCE 4 OHM FREQUENCY RANGE 50-22000 Hz POWER 160W SPL 89 SPL SIZE 190 x 190 x 805 mm WEIGHT 20 kg (pair) CONNECT. MODE Bluetooth, Aux, Coaxial TRANSMISSION MODE 5.8 G REMOTE CONTROL Yes COLOUR Black



E610 IVV

IMPEDANCE 4 OHM FREQ. RESPONSE 45Hz-22kHz POWER AMP 80-160W 89 dB +/- 1.5 dB **WOOFER SIZE** 6.5" aluminium TWEETER SIZE 1" aluminum TWEETER SETTINGS +/- 3 dB SIZE WITH GRILL 320 X 220 mm SIZE WITHOUT GRILL 285 X 185 mm MOUNTING DEPTH 103 mm WEIGHT 2,1 kg



E620 IW

IMPEDANCE 4 OHM FREQ. RESPONSE 45Hz-22kHz POWER AMP 160-320W 89 dB +/- 1.5 dB **WOOFER SIZE** 2x6.5" aluminium TWEETER SIZE 1" aluminum TWEETER SETTINGS +/- 3 dB SIZE WITH GRILL 492 X 220 mm SIZE WITHOUT GRILL 456 X 185 mm 53 MOUNTING DEPTH 102 mm WEIGHT 3,3 kg



E610 C

IMPEDANCE FREQ. RESPONSE POWER AMP 89 dB +/- 1.5 dB **WOOFER SIZE** TWEETER SIZE SIZE WITH GRILL SIZE WITHOUT GRILL MOUNTING DEPTH WEIGHT



4 OHM

45Hz-22kHz

6.5" aluminium

1 aluminum

232 D mm

203 D mm

98 mm

1,6 kg

80-160W

E1200 I

FREQ. RESPONSE 30Hz-250Hz WOOFER TYPE Coated paper **WOOFER SIZE** 12"/30cm POWER 300W class AB VOLTAGE 110/220V MDF material **ENCLOSURE** TECHNOLOGY Bass reflex SIZE 578 X 368 X 300 mm WEIGHT 15,3 kg COLOUR Black matte

WWW.UANDKSOUND.COM WWW.UANDKSOUND.COM

11 kg Black

CUSTOM SERIES

Outdoor Speakers



MSERIES M Series





54

FS-X6

IMPEDANCE 8 OHM FREQ. RESPONSE (-10dB) 80Hz-20kHz POWER AMP 80-160W MAX SPL 109 dB **WOOFER SIZE** 6.5" woofer TWFFTFR SIZE 1" tweeter POWER TAPS 100V/70V/8ohm SIZE WITH GRILL 213 X 310 X 195 mm TEMPERATURE-HUMIDITY -20-55°;<95% MATERIAL High Impact Polystyrene COLOUR Black / White WEIGHT 3.7 kg



WS-105

IMPEDANCE 1Kohm/2Kohm FREQ. RESPONSE (-10dB) 110Hz-18kHz POWER AMP 10-15W MAX SPL 103 dB WOOFFR SIZE 4" woofer TWEETER SIZE 1" tweeter POWER TAPS 100V/70V SIZE WITH GRILL 170 X 260 X 120 mm TEMPERATURE-HUMIDITY -20-55°;<95% MATERIAL High Impact ABS COLOUR Black / White WEIGHT 1.3 kg



M 7300

FREQ. RESP. 20Hz-20KHz +/-0.1dB POWER OUTPUT 300W/40hm SNR >115db,"A" weighted >0.02% at 20Hz-20KHz INPUT IMPEDANCE XLR/RCA 80Kohm OUTPUT IMPEDANCE < 0.015, 20Hz to 20KHz SENSITIVITY 1.75V INPUT TERMINAL 7xXLR/RCA SIZE 452 x 321 x 453 mm WEIGHT 57 kg COLOUR Black



M 4500D

FREQ. RESP. 20Hz-20KHz +/-0.5dB POWER OUTPUT 750W/4ohm DC offset less than 10mV THD <0.01% at 20Hz-20KHz POWER REQUIREMENT 2300W INPUT SENSITIVITY 0.775/1.55V INPUT TERMINAL 4xXI R SIZE 482 x 400 x 108 mm 55 WFIGHT COLOUR



LS-701B

IMPEDANCE 333/666 OHM FREQ. RESPONSE (-10dB) 80Hz-20kHz POWER AMP 30-45W MAX SPL 107 dB **WOOFER SIZE** 6.5" coaxial TWEETER SIZE 1" coaxial POWER TAPS 100V/70V SIZE 325 X 370 mm TEMPERATURE-HUMIDITY -30-60°;<95% MATERIAL High Impact ABS COLOUR Green WEIGHT 3.5 kg



VTA-240F II

>66/>75 OHM FREQ. RESPONSE (+-3dB) 20Hz-20kHz POWER OUTPUT 240 W MIC INPUT -60dB, 600ohm, 6.3mm AUX INPUT -20dB, 10kohm LINE OUTPUT 0dB, 600ohm SPEAKERS OUTPUT 100V/8ohm <0.5% at 1kHz 482 X 88 X 350 mm POWER CONSUMPTION 350 W COLOUR Black WFIGHT 12 kg



M 2300

20Hz-20KHz +/-0.1dB FREQ. RESP. POWER OUTPUT 300W/4ohm >115db,"A" weighted THD >0.02% at 20Hz-20KHz INPUT IMPEDANCE XLR/RCA 80Kohm OUTPUT IMPEDANCE < 0.015, 20Hz to 20KHz SENSITIVITY 1.75V INPUT TERMINAL 2xXLR/RCA SIZE 452 x 105 x 453 mm WEIGHT 22 kg COLOUR Black



WWW.UANDKSOUND.COM

M 7300D

FREQ. RESP. 20Hz-20kHz +/-0.5 dB **POWER OUTPUT** 300W/8ohm INPUT SIGNAL >47Kohm <0.01% at 20Hz-20KHz SNR >110dB TRIGGER CONNECTION DC 12V INPUT SENSITIVITY 0.775V INPUT TERMINAL 7xXLR/RCA SIZE 482 X 152 X 400 mm WEIGHT 24 kg COLOUR

WWW.UANDKSOUND.COM





AMS3435*2



T4

IMPEDANCE 4 OHM FREQUENCY RANGE 56-22000 Hz POWER 100W INPUT VOLTAGE 120 / 230 V SIZE 151 X 245 X 176 mm WEIGHT 4,8 KG unit ENCLOSURE HQ MDF TECHNOLOGY Bass reflex COLOUR Black



T6

IMPEDANCE 4 OHM FREQUENCY RANGE 49-22000 Hz POWER 200W INPUT VOLTAGE 120 / 230 V 220.5 X 346 X 248 mm SIZE 10,5 KG unit WEIGHT HQ MDF **ENCLOSURE** TECHNOLOGY Bass reflex COLOUR Black



Oxford ANC-HD100

Noise reduction chip 8773B BT 5.1 Bluetooth version Bluetooth profile AAC, SBC NC level 26 +-3dB Sensitivity (SPK) 110 dB SPL@1kHz 20Hz-20Khz Range of frequency 90 min Charging time Battery life 1000 times BT on+ ANC off BT off+ ANC on BT on+ ANC on 5h Standby time 120h Battery capacity 70mA Rechargeable lithium-ion Type of battery Wireless range 10m IPX5 Water resistant Drive unit 9mm x2 Load impedance 32 ohm Voice Wake up function SIRI Assistant Charging case size 76 L x 29 D x 50 H mm Earphone size 17 W x 30 D x 29,5 L mm Weight/earphone 6 gr Weight/charging box 54 gr Colour Black / White



London ANC-HD200

Noise reduction chip Bluetooth version BT 5.0 Bluetooth chip QCC3005 5.0+EDR Bluetooth profile APTX, A2DP, AVRCP, HFP, HSP NC level 35 +-3dB Sensitivity (SPK) 105 db SPL@1Khz Range of frequency 20Hz-20Khz 57 Signal to noise ratio 90dB Drive unit 40mm dynamic driver x2 Total harmonic distorsion 0.1-1% 100Hz Load impedance 32 Ohm Charging input 5V 1A Micro-USB cable Charging time 180 min BT on+ ANC off 40h BT off+ ANC on 35h BT on+ ANC on 20h Battery capacity 750mA Type of battery Rechargeable lithium-ion Wireless range Up to 20m in open environment SIRI Assistant Voice Wake up function Water resistant JPX5 Standby time 720h Headphones size 19 L x 9 D x 16 W cm Black / Silver



T10

IMPEDANCE 4 OHM FREQUENCY RANGE 30-250 Hz POWER 500W INPUT VOLTAGE 120 / 230 V SIZE 344 X 445 X 387 mm WEIGHT 24 KG unit **ENCLOSURE** EHQ MDF **TECHNOLOGY** Bass reflex COLOUR Black



WWW.UANDKSOUND.COM WWW.UANDKSOUND.COM

WHERE TO BUY?

EUROPE AND ASIA AMERICA

Dolby Atmos Home Theatre configuration equipped with UandKSound M8, M6 loudspeakers





